VOLUME CONTENTS

Number 1

S. D. Connell and A. K. Jain	1	Template-based online character recognition
A.-B. Wang and K.-C. Fan	15	Optical recognition of handwritten Chinese characters by hierarchical radical matching method
S. Madhvanath, V. Krpasundar and V. Govindaraju	37	Syntactic methodology of pruning large lexicons in cursive script recognition
E. N. Zois and V. Anastassopoulos	47	Fusion of correlated decisions for writer verification
S. Biswas	63	Contour coding through stretching of discrete circular arcs by affine transformation
C. P. Lam, G. A. W. West and S. Venkatesh	79	Obtaining functional parametric models using active vision strategies
J. H. Lai, P. C. Yuen and G. C. Feng	95	Face recognition using holistic Fourier invariant features
P. M. L. Drezet and R. F. Harrison	111	A new method for sparsity control in support vector classification and regression
J. T. L. Wang and K. Zhang	127	Finding similar consensus between trees: an algorithm and a distance hierarchy
J. Peng and B. Bhanu	139	Local discriminative learning for pattern recognition
X. Zeng, L. Koehl and C. Vasseur	151	Design and implementation of an estimator of fractal dimension using fuzzy techniques
A. Al-Janobi	171	Performance evaluation of cross-diagonal texture matrix method of texture analysis

Rapid and Brief Communication

A. Yilmaz and M. Gökmen	181	Eigenhill vs. eigenface and eigenedge

Number 2

H.-Y. Kim and J. H. Kim	187	Hierarchical random graph representation of handwritten characters and its application to Hangul recognition
B. Zhang, M. Fu and H. Yan	203	A nonlinear neural network model of mixture of local principal component analysis: application to handwritten digits recognition
A. Cheung, M. Bennamoun and N. W. Bergmann	215	An Arabic optical character recognition system using recognition-based segmentation
D. Yu and H. Yan	235	Reconstruction of broken handwritten digits based on structural morphological features
A. J. Willis and L. Myers	255	A cost-effective fingerprint recognition system for use with low-quality prints and damaged fingertips

J. H. Sossa-Azuela, C. Yáñez-Márquez and J. L. D. de León S	271	Computing geometric moments using morphological erosions
J. Xu	277	Morphological representation of 2-D binary shapes using rectangular components
V. Beau and M. Singer	287	Reduced resolution and scale space for dominant feature detection in contours
L. I. Kuncheva, J. C. Bezdek and R. P. W. Duin	299	Decision templates for multiple classifier fusion: an experimental comparison
A. Laha and N. R. Pal	315	Dynamic generation of prototypes with self-organizing feature maps for classifier design
W.-P. Choi, K.-M. Lam and W.-C. Siu	323	An adaptive active contour model for highly irregular boundaries
D. J. Kang and I. S. Kweon	333	An edge-based algorithm for discontinuity adaptive color image smoothing
Y.-C. Hsieh	343	Decoding structured light patterns for three-dimensional imaging systems
J.-E. Ha and I.-S. Kweon	351	3D structure recovery and calibration under varying intrinsic parameters using known angles
Q. Du and C.-I. Chang	361	A linear constrained distance-based discriminant analysis for hyperspectral image classification
R. Myers and E. R. Hancock	375	Least-commitment graph matching with genetic algorithms
A. M. Bruckstein, R. J. Holt, T. S. Huang and A. N. Netravali	395	Trifocal tensors for weak perspective and paraperspective projections
P. Hansen and N. Mladenović	405	J-MEANS: a new local search heuristic for minimum sum of squares clustering
L. Y. Tseng and S. B. Yang	415	A genetic approach to the automatic clustering problem
C.-C. Wong, C.-C. Chen and M.-C. Su	425	A novel algorithm for data clustering
S. Singh	443	Multiple forecasting using local approximation
A. R. Jiménez, R. Ceres and J. L. Pons	457	A new adaptive filter and quality evaluation index for image restoration
G. Jones III and B. Bhanu	469	Recognizing articulated objects in SAR images
M. Vincze	487	Robust tracking of ellipses at frame rate
M. A. Lewis and R. P. Ramachandran	499	Cochannel speaker count labelling based on the use of cepstral and pitch prediction derived features
S. Kwong, C. W. Chau, K. F. Man and K. S. Tang	509	Optimisation of HMM topology and its model parameters by genetic algorithms

Rapid and Brief Communications

T. R. Babu and M. N. Murthy	523	Comparison of genetic algorithm based prototype selection schemes

K. I. Kim, K. Jung, S. H. Paer and H. J. Kim 527 Support Vector machine-*based text detection in digital Video*

Number 3

G. Fielding and M. Kam 531 Disparity maps for dynamic stereo

Q. Zhu, Y. Cai and L. Liu 547 A multiple hyper-ellipsoidal subclass model for an evolutionary classifier

K. C. Wong and J. Kittler 561 Recognition of polyhedral objects using triplets of projected spatial edges based on a single perspective image

D. Yu and H. Yan 587 Separation of touching handwritten multi-numeral strings based on morphological structural features

C.-L. Liu and M. Nakagawa 601 Evaluation of prototype learning algorithms for nearest-neighbor classifier in application to handwritten character recognition

A. Datta, S. K. Parui and B. B. Chaudhuri 617 Skeletonization by a topology-adaptive self-organizing neural network

F. Y. Shih and W.-T. Wong 631 An adaptive algorithm for conversion from quadtree to chain codes

P. Tissainayagam and D. Suter 641 Visual tracking with automatic motion model switching

J. Badenas, J. M. Sanchiz and F. Pla 661 Motion-based segmentation and region tracking in image sequences

R.-Z. Wang, C.-F. Lin and J.-C. Lin 671 Image hiding by optimal LSB substitution and genetic algorithm

Z. Chen, M. A. Karim and M. M. Hayat 685 Locating target at high speed using image decimation decomposition processing

M. Carozza and S. Rampone 695 An incremental multivariate regression method for function approximation from noisy data

N. S. Netanyahu and I. Weiss 703 Analytic line fitting in the presence of uniform random noise

M.-S. Lee, Y.-M. Yang and S.-W. Lee 711 Automatic video parsing using shot boundary detection and camera operation analysis

L. Ding and A. Goshtasby 721 On the Canny edge detector

T. Ojala, K. Valkealahti, E. Oja and M. Pietikäinen 727 Texture discrimination with multidimensional distributions of signed gray-level differences

Number 4

Non-Conventional Pattern Classifiers

J. F. Martínez-Trinidad and A. Guzmán-Arenas 741 The logical combinatorial approach to pattern recognition, an overview through selected works

M. Lazo-Cortes, J. Ruiz-Shulcloper and E. Alba-Cabrera 753 An overview of the evolution of the concept of testor

J. Ozols and A. Borisov 763 Fuzzy classification based on pattern projections analysis

J. F. Martínez-Trinidad and J. Ruiz-Shulcloper 783 Fuzzy clustering of semantic spaces

General Articles

A. Simó and E. de Ves 795 Segmentation of macular fluorescein angiographies. A statistical approach

N. Sang and T. Zhang 811 Segmentation of FLIR images by Hopfield neural network with edge constraint

P. L. Worthington and E. R. Hancock 823 Surface topography using shape-from-shading

N. Rishikesh and Y. V. Venkatesh 841 Shape recognition using an invariant pulse code and a hierarchical, competitive neural network

D. Ziou 855 The influence of edge direction on the estimation of edge contrast and orientation

A. Saranlı and M. Demirekler 865 A statistical unified framework for rank-based multiple classifier decision combination

J. H. Kim, S. H. Yoon, C.-W. Lee and K. H. Sohn 885 A robust solution for object recognition by mean field annealing techniques

M. Turner and E. R. Hancock 903 A Bayesian framework for 3D surface estimation

G. Ritter and G. Schreib 923 Using dominant points and variants for profile extraction from chromosomes

Rapid and Brief Communication

V. S. Ananthanarayana, M. N. Murty and D. K. Subramanian 939 Multi-dimensional semantic clustering of large databases for association rule mining

Number 5

S. Betelu, G. Sapiro, A. Tannenbaum and P.J. Giblin 943 On the computation of the affine skeletons of planar curves and the detection of skew symmetry

M.-T. Chang and S.-Y. Chen 953 Deformed trademark retrieval based on 2D pseudo-hidden Markov model

R. Román-Roldán, J.F. Gómez-Lopera, C. Atae-Allah, J. Martínez-Aroza and P.L. Luque-Escamilla 969 A measure of quality for evaluating methods of segmentation and edge detection

V. Murino 981 Reconstruction and segmentation of underwater acoustic images combining confidence information in MRF models

X. Jiang, W.-Y. Yau and W. Ser	999	Detecting the fingerprint minutiae by adaptive tracing the gray-level ridge
S.-Y. Ho and H.-L. Huang	1015	Facial modeling from an uncalibrated face image using a coarse-to-fine genetic algorithm
G.C. Feng and P.C. Yuen	1033	Multi-cues eye detection on gray intensity image
V.V. Saradhi and M.N. Murty	1047	Bootstrapping for efficient handwritten digit recognition
M. Dehghan, K. Faez, M. Ahmadi and M. Shridhar	1057	Handwritten Farsi (Arabic) word recognition: a holistic approach using discrete HMM
K.-M. Cho, J.-H. Jang and K.-S. Hong	1067	Adaptive skin-color filter
K. Shearer, H. Bunke and S. Venkatesh	1075	Video indexing and similarity retrieval by largest common subgraph detection using decision trees
J.-S. Lin	1093	Annealed chaotic neural network with nonlinear self-feedback and its application to clustering problem
B.D. Olsen and A. Hoover	1105	Calibrating a camera network using a domino grid
H.Z. Shu, L.M. Luo, W.X. Yu and J.D. Zhou	1119	Fast computation of Legendre moments of polyhedra

Number 6

A.W.K. Loh, M.C. Robey and G.A.W. West	1127	Analysis of the interaction between edge and line finding techniques
R.M. Rangayyan and S. Krishnan	1147	Feature identification in the time–frequency plane by using the Hough–Radon transform
M. Melkemi and M. Djebali	1159	Weighted $\mathcal{A}$-shape: a descriptor of the shape of a point set
Z. Xue, D. Shen and E. K. Teoh	1171	An efficient fuzzy algorithm for aligning shapes under affine transformations
I. Andreadis	1181	A real-time color space converter for the measurement of appearance
J.Y. Kim, C.Y. Kim, Y.S. Seo and I.S. Kweon	1189	Color indexing using chromatic invariant
S.-W. Park and K.-S. Hong	1199	Practical ways to calculate camera lens distortion for real-time camera calibration
S. Batman and E.R. Dougherty	1207	Morphological granulometric estimation of random patterns in the context of parameterized random sets
G. Ayala, M.E. Díaz and L. Martínez-Costa	1219	Granulometric moments and corneal endothelium status
S.S. Maniccam and N.G. Bourbakis	1229	Lossless image compression and encryption using SCAN

C.F. Olson 1247 Locating geometric primitives by pruning the parameter space

K. Shearer, K.D. Wong and S. Venkatesh 1257 Combining multiple tracking algorithms for improved general performance

C. Lin and K.-C. Fan 1271 Triangle-based approach to the detection of human face

D.-M. Tsai and B. Hsiao 1285 Automatic surface inspection using wavelet reconstruction

R.A. Zoroofi, H. Taketani, S. Tamura, Y. Sato and K. Sekiya 1307 Automated inspection of IC wafer contamination

Number 7

C.-H. Wu, S.-J. Horng and P.-Z. Lee 1319 A new computation of shape moments via quadtree decomposition

A. Adán, C. Cerrada and V. Feliu 1331 Global shape invariants: a solution for 3D free-form object discrimination/identification problem

H. Hase, T. Shinokawa, M. Yoneda and C.Y. Suen 1349 Character string extraction from color documents

S.A. Sirohey and A. Rosenfeld 1367 Eye detection in a face image using linear and nonlinear filters

L.-F. Chen, H.-Y. Liao, J.-C. Lin and C.-C. Han 1393 Why recognition in a statistics-based face recognition system should be based on the pure face portion: a probabilistic decision-based proof

Z. Jin, J.-Y. Yang, Z.-S. Hu and Z. Lou 1405 Face recognition based on the uncorrelated discriminant transformation

D. Shen, H.H.K. Ip and E.S. Teoh 1417 Robust detection of skewed symmetries by combining local and semi-local affine invariants

H. Zhang and J. Guo 1429 Optimal polygonal approximation of digital planar curves using meta heuristics

S.H. Kim, S. Jeong and C.Y. Suen 1437 A lexicon-driven approach for optimal segment combination in off-line recognition of unconstrained handwritten Korean words

P.S.U. Adiga and B.B. Chaudhuri 1449 An efficient method based on watershed and rule-based merging for segmentation of 3-D histo-pathological images

B. Barshan and D. Başkent 1459 Morphological surface profile extraction with multiple range sensors

W.M. Grohman and A.P. Dhawan 1469 Fuzzy convex set-based pattern classification for analysis of mammographic microcalcifications

N. Ray, B. Chanda and J. Das 1483 A fast and flexible multiresolution snake with a definite termination criterion

H.-S. Yoon, J. Soh, Y.J. Bae and H.S. Yang 1491 Hand gesture recognition using combined features of location, angle and velocity

K. Maharatna and S. Banerjee 1503 A VLSI array architecture for Hough transform

Number 8

SPECIAL ISSUE: DATA AND INFORMATION FUSION IN IMAGE PROCESSING AND COMPUTER VISION

V. Roberto and E. Trucco 1513 Editorial

L. Bogoni and M. Hansen 1515 Pattern-selective color image fusion

A.S. Constantinidis, M.C. Fairhurst and A.F.R. Rahman 1527 A new multi-expert decision combination algorithm and its application to the detection of circumscribed masses in digital mammograms

H.-C. Chiang, R.L. Moses and L.C. Potter 1539 Model-based Bayesian feature matching with application to synthetic aperture radar target recognition

H. Yao and W. Gao 1555 Face detection and location based on skin chrominance and lip chrominance transformation from color images

J. Sherrah and S. Gong 1565 Fusion of perceptual cues for robust tracking of head pose and position

Y.-S. Chen, L.-G. Liou, Y.-P. Hung and C.-S. Fuh 1573 Three-dimensional ego-motion estimation from motion fields observed with multiple cameras

E. Martínez and C. Torras 1585 Qualitative vision for the guidance of legged robots in unstructured environments

General Articles

Classification

S. Singh, J. Haddon and M. Markou 1601 Nearest-neighbour classifiers in natural scene analysis

D. Kim 1613 Data classification based on tolerant rough set

Image Retrieval

R. Brunelli and O. Mich 1625 Histograms analysis for image retrieval

G. Ciocca and R. Schettini 1639 Content-based similarity retrieval of trademarks using relevance feedback

Image Distortion

W. Puech, A.G. Borş, I. Pitas and J.-M. Chassery 1657 Projection distortion analysis for flattened image mosaicing from straight uniform generalized cylinders

Error Detection

K.-F. Chan and D.-Y. Yeung 1671 Error detection, error correction and performance evaluation in on-line mathematical expression recognition

Invariance

M.-H. Kim, D.-S. Jang and Y.-K. Yang 1685 A robust-invariant pattern recognition model using Fuzzy ART

Rapid and Brief Communication

K.R.K. Murthy, S.S. Keerthi and M.N. Murty 1697 Rule prepending and post-pruning approach to incremental learning of decision lists

Number 9

Stereo 3-D

J.S. Ku, K.M. Lee and S.U. Lee 1701 Multi-image matching for a general motion stereo camera model

S.K. Park and I.S. Kweon 1713 Robust and direct estimation of 3-D motion and scene depth from stereo image sequences

K.-P. Han, K.-W. Song, E.-Y. Chung, S.-J. Cho and Y.-H. Ha 1729 Stereo matching using genetic algorithm with adaptive chromosomes

Data Extraction

J.-L. Chen and H.-J. Lee 1741 Field data extraction for form document processing using a gravitation-based algorithm

J.-H. Jang and K.-S. Hong 1751 Linear band detection based on the Euclidean distance transform and a new line segment extraction method

Modeling

N. Saito 1765 Image approximation and modeling via least statistically dependent bases

Y. Cointepas, I. Bloch and L. Garnero 1785 A cellular model for multi-objects multi-dimensional homotopic deformations

H. Nishida 1799 Adaptive model-based digital halftoning incorporating image enhancement

Segmentation

J. Weickert 1813 Efficient image segmentation using partial differential equations and morphology

B. Lofy and J. Sklansky 1825 Segmenting multisensor aerial images in class–scale space

Image Indexing

C.-W. Ngo, T.-C. Pong and R.T. Chin 1841 Exploiting image indexing techniques in DCT domain

Two-volume Images

A. Rosenfeld, P.K. Saha and A. Nakamura 1853 Interchangeable pairs of pixels in two-valued digital images

Moments

S. Belkasim and M. Kamel 1867 Fast computation of 2-D image moments using biaxial transform

Rapid and Brief Communication

G. Giacinto and F. Roli 1879 Dynamic classifier selection based on multiple classifier behaviour

J. Sun, Q. Zhuo, C. Ma and W. Wang 1883 Sparse image coding with clustering property and its application to face recognition

Number 10

Curves

S.-F. Qin, D.K. Wright and I.N. Jordanov 1885 On-line segmentation of freehand sketches by knowledge-based nonlinear thresholding operations

J.J. Zou, H.-H. Chang and H. Yan 1895 Shape skeletonization by identifying discrete local symmetries

J.-H. Chang and K.-C. Fan 1907 Fingerprint ridge allocation in direct gray-scale domain

Gray scale

J.-G. Leu 1927 Sharpness preserving image enlargement based on a ramp edge model

S. Mukhopadhyay and B. Chanda 1939 Fusion of 2D grayscale images using multiscale morphology

Segmentation

I.S. Chang and R.-H. Park 1951 Segmentation based on fusion of range and intensity images using robust trimmed methods

T. Kasparis, D. Charalampidis, M. Georgiopoulos and J. Rolland 1963 Segmentation of textured images based on fractals and image filtering

C.S. Tong and Y.W. Yeung 1975 Boundary location from range data using Hough transform

Faces

Y. Wang and B. Yuan 1983 A novel approach for human face detection from color images under complex background

K.-W. Wong, K.-M. Lam and W.-C. Siu 1993 An efficient algorithm for human face detection and facial feature extraction under different conditions

Matching

O.-K. Kwon, D.-G. Sim and R.-H. Park 2005 Robust Hausdorff distance matching algorithms using pyramidal structures

Cluster analysis

E.H. Sbai 2015 Cluster analysis by adaptive rank-order filters

Noise reduction

Q. Lu and T. Jiang 2029 Pixon-based image denoising with Markov random fields

Discriminant vectors

Z. Jin, J.-Y. Yang, Z.-M. Tang and Z.-S. Hu 2041 A theorem on the uncorrelated optimal discriminant vectors

Application

M. Diligenti, M. Gori, M. Maggini and E. Martinelli 2049 Adaptive graphical pattern recognition for the classification of company logos

Rapid and Brief Communication

E.Y. Kim, S.W. Hwang, S.H. Park and H.J. Kim 2063 Spatiotemporal segmentation using genetic algorithms

H. Yu and J. Yang 2067 A direct LDA algorithm for high-dimensional data — with application to face recognition

Number 11

Texture

J. Luo and A.E. Savakis 2071 Self-supervised texture segmentation using complementary types of features

Thresholding

P.L. Rosin 2083 Unimodal thresholding

Invariance

Y. Shao and M. Celenk 2097 Higher-order spectra (HOS) invariants for shape recognition

N.N. Kharma and R.K. Ward 2115 A novel invariant mapping applied to hand-written arabic character recognition

Character Recognition

S.-L. Hsieh and T.-M. Parng 2121 A new scheme for rectifying recognition results of printed chinese characters

Reconstruction

N.F. Law and R. Chung 2133 Multiresolution discontinuity-preserving surface reconstruction

T.J. Wang and T.W. Sze 2145 The image moment method for the limited range CT image reconstruction and pattern recognition

Skeletonization

B.S. Moon 2155 A representation of digitized patterns and an edge tracking thinning method

S.V. Rao and A. Mukhopadhyay 2163 Fast algorithms for computing β-skeletons and their relatives

Classification

P.N. Suganthan 2173 Pattern classification using multiple hierarchical overlapped self-organising maps

Signal Analysis

D. Pycock, S. Pammu, A.J. Goode and S.A. Harman 2181 Robust model-based signal analysis and identification

Application

L. Yin, A. Basu, S. Bernögger and A. Pinz 2201 Synthesizing realistic facial animations using energy minimization for model-based coding

B. Lazzerini, A. Maggiore and F. Marcelloni 2215 FROS: a fuzzy logic-based recogniser of olfactory signals

E.L.J. Bohez and T.R. Senevirathne 2227 Speech recognition using fractals

Rapid and Brief Communication

C.J. Lee and Sheng-D. Wang 2245 Fingerprint feature reduction by principal Gabor basis function

V.S. Ananthanarayana, M.N. Murty and D.K. Subramanian 2249 An incremental data mining algorithm for compact realization of prototypes

F. Xia 2253 Normal vector and winding number in 2D digital images with application for hole detection

Number 12

Colour Segmentation

H.D. Cheng, X.H. Jiang, Y. Sun and J. Wang 2259 Color image segmentation: advances and prospects

Fitting

S.J. Ahn, W. Rauh and H.-J. Warnecke 2283 Least-squares orthogonal distances fitting of circle, sphere, ellipse, hyperbola, and parabola

S.-Y. Ho and Y.-C. Chen 2305 An efficient evolutionary algorithm for accurate polygonal approximation

Classification

A. Saranlı and M. Demirekler 2319 On output independence and complementariness in rank-based multiple classifier decision systems

Z. Chen and Y. Tao 2331 Food safety inspection using "from presence to classification" object-detection model

Matching

C.-L. Liu, I.-J. Kim and J.H. Kim 2339 Model-based stroke extraction and matching for handwritten Chinese character recognition

S. Kumar, M. Sallam and D. Goldgof 2353 Matching point features under small nonrigid motion

Shape

J.R.A. Torreão 2367 A Green's function approach to shape from shading

Self Organizing/Adaptive

C.-S. Chuah and J.-J. Leou 2383 An adaptive image interpolation algorithm for image/video processing

R.D. Pascual-Marqui, A.D. Pascual-Montano, K. Kochi and J.M. Carazo 2395 Smoothly distributed fuzzy *c*-means: a new self-organizing map

Fusion

T.D. Pham 2403 An image restoration by fusion

V. Dasigi, R.C. Mann and V.A. Protopopescu 2413 Information fusion for text classification — an experimental comparison

Face Analysis

J.-G. Wang and E. Sung 2427 Pose determination of human faces by using vanishing points

D. Ramasubramanian and Y.V. Venkatesh 2447 Encoding and recognition of faces based on the human visual model and DCT

Y.-S. Ryu and S.-Y. Oh 2459 Automatic extraction of eye and mouth fields from a face image using eigenfeatures and multilayer perceptrons

3-D stereo

K. Achour and M. Benkhelif 2467 A new approach to 3D reconstruction without camera calibration

J.Y. Goulermas and P. Liatsis 2477 Hybrid symbiotic genetic optimisation for robust edge-based stereo correspondence

L. Pastor, A. Rodríguez, J.M. Espadero and L. Rincón 2497 3D wavelet-based multiresolution object representation

Document Analysis

E. Kavallieratou, N. Fakotakis and G. Kokkinakis 2515 Slant estimation algorithm for OCR systems

W. Chan and G. Coghill 2523 Text analysis using local energy

S. Deng, S. Latifi and E. Regentova 2533 Document segmentation using polynomial spline wavelets

Application

N. Theera-Umpon, E.R. Dougherty and P.D. Gader 2547 Non-homothetic granulometric mixing theory with application to blood cell counting

Rapid and Brief Communications

V.S. Ananthanarayana, M.N. Murty and D.K. Subramanian	2561	Efficient clustering of large data sets
H. He and Y.Q. Chen	2565	Fuzzy aggregated connectedness for image segmentation
M. Park, H. Ko and H. Byun	2569	Blending video with synthetic images created from matched viewing environments
C.S. Park and H.W. Park	2573	A robust stereo disparity estimation using adaptive window search and dynamic programming search
	I	Call for papers